

KApro proudly introduce their KORG KRONOS EXs138 Library

KApro EXs138 „Outer Space Ambience“

Die KApro EXs138 „Outer Space Ambience“ Library bietet Ihnen ein Sound-Set aus

- 3 Programs,
- 3 stereophonen Multisamples (50 MB PCM-Data) mit
- 41 stereophonen Einzelsamples, aus denen z.B. eigene Drum Kits erstellt werden können, für den KORG KRONOS.

In der KApro EXs138 „Outer Space Ambience“ Library finden Sie Weltraumklangeffekte, die teilweise in die Weltgeschichte eingingen. Alle Einzelsamples basieren auf dem Originalmaterial der NASA, das von KApro aufwändig digital bearbeitet wurde. Alle Einzelsamples werden jetzt erstmals mit 16 Bit Quantisierung und 48 kHz Abtastrate bereitgestellt.

„A small step ...!“

Ein absolutes MUST HAVE für jeden KRONOS User!

KApro proudly introduce their KORG KRONOS EXs138 Library

KApro EXs138 "Outer Space Ambience"

The KApro EXs138 "Outer Space Ambience" Library offers a sound set of

- 3 programs,
 - 3 stereophonic multisamples (50 MB of PCM data) with
 - 41 stereophonic samples, which can be used to program drum kits,
- for the KORG KRONOS.

In the KApro EXs138 "Outer Space Ambience" Library you will find sound effects associated with outer space missions, which partly went down in history. All the samples are based on the original recordings from NASA, which were digitally edited in an elaborate manner by KApro. For the first time in history, all these samples are now available for the KORG KRONOS with a resolution of 16 bits and a sampling rate of 48 kHz.

"A small step ...!"

An absolute MUST HAVE for every KRONOS user!

HOW TO INSTALL AN EXs EXPANSION ON THE KORG KRONOS [SOURCE: KORG]

INTRODUCTORY NOTICE

This command installs the selected EXs data onto the internal SSD, along with any associated files (.KSC, .PCG, .SNG etc). Note that EXs can only be installed onto the internal SSD, and not to USB storage media.

TO INSTALL AN EXs EXPANSION ON THE KORG KRONOS

1. If you downloaded the EXs data, e.g.
<http://www.gearzonemusic.com/Kronos/KApro/EXs39.zip>
<http://www.gearzonemusic.com/Kronos/KApro/EXs45.zip>
http://www.gearzonemusic.com/Kronos/KApro/K2_EXs45.zip
<http://www.gearzonemusic.com/Kronos/KApro/EXs46.zip>
<http://www.gearzonemusic.com/Kronos/KApro/EXs47.zip>
or
<http://www.gearzonemusic.com/Kronos/KApro/EXs116.zip>

copy the zipped file to the

top level of a USB storage device,

e.g. a USB stick, which you use for the data transfer between your computer and the KORG KRONOS.

2. **Un-zip the zipped file directly on the top level of your USB storage device (cf. step 1).**

Un-zipping the zip archive will result in a folder containing three several different files:

- *one file having the extension “.exsins”,*
- *a second file having the extension “.tar.gz” and*
- *a third file without any extension whose filename begins with the upper case letter “S”.*

The directory structure on your USB storage device, with <DriveName> referring to the top level of your USB storage device, should e.g. then look like

```
<DriveName>\
    EXs39.zip
    EXs39\
        EXs39.exsins
        EXs39.tar.gz
        S039
```

in the case of the EXs39 library,

<DriveName>\
EXs45.zip
EXs45\
EXs45.exsins
EXs45.tar.gz
S045

in the case of the EXs45 library for the KRONOS and the KRONOS X,

<DriveName>\
K2_EXs45.zip
K2_EXs45\
EXs45.exsins
EXs45.tar.gz
S045

in the case of the EXs45 library for the New KRONOS (“K2”),

<DriveName>\
EXs46.zip
EXs46\
EXs46.exsins
EXs46.tar.gz
S046

in the case of the EXs46 library and

<DriveName>\
EXs47.zip
EXs47\
EXs47.exsins
EXs47.tar.gz
S047

in the case of the EXs47 library.

Note: Depending on your browser settings, the downloaded file may be unzipped automatically.

*As mentioned above, one of the files in the resulting folder has a name which ends with “tar.gz.” **Please do not un-zip this tar.gz file.***

- 3. Safely disconnect your USB storage device (cf. steps 1 and 2) from your computer.**
- 4. Connect your USB storage device (cf. steps 1 to 3) to the KORG KRONOS.**
- 5. Go to the Disk Utility page on the KORG KRONOS.**
- 6. Using the Drive Select menu at the bottom of the page, select your USB storage device (cf. steps 1 to 4).**

You may need to wait a few seconds after connecting the device before it is recognized.

The directory listing will e.g. look like

EXs39.zip

EXs39

in the case of the EXs39 library, “EXs39\” being a folder,

EXs45.zip

EXs45

in the case of the EXs45 library for the KRONOS and the KRONOS X, “EXs45\” being a folder,

K2_EXs45.zip

K2_EXs45

in the case of the EXs45 library for the New KRONOS (“K2”), “K2_EXs45\” being a folder,

EXs46.zip

EXs46

in the case of the EXs46 library, “EXs46\” being a folder,,

EXs47.zip

EXs47

in the case of the EXs47 library, “EXs47\” being a folder.

7. Open the folder on the top level of your USB storage device (cf. steps 1 to 4 and 6), containing the EXs data from step 2.

For instance, when opening the folder “EXs39” you should find the following files:

EXs39.exsins

EXs39.tar.gz

S039

When opening the folder “EXs45”(KRONOS and/or KRONOS X) you should find the following files:

EXs45.exsins

EXs45.tar.gz

S045

When opening the folder “K2_EXs45”(New KRONOS, “K2”) you should find the following files:

EXs45.exsins

EXs45.tar.gz

S045

When opening the folder “EXs46” you should find the following files:

EXs46.exsins

EXs46.tar.gz

S046

When opening the folder “EXs47” you should find the following files:

EXs47.exsins

EXs47.tar.gz

S047

8. Select the file whose name ends in .exsins from within the relevant folder.

The “exsins” suffix stands for “EXS INStaller.” For instance, an installer file might be named “EXs39.exsins”, “EXs45.exsins”, “EXs46.exsins” or “EXs47.exsins”.

*When a “.exsins” file is selected, the **Load** button changes to read **Install**.*

*Only one EXs can be installed at a time. If Multiple Select is On, **Install** will be disabled. Please switch of Multiple Select, then.*

9. Select Install EXs from the menu, or press the Install button.

The system will check to confirm that the installation files are valid, and that there is sufficient space on the SSD to install the EXs. Next, a dialog box will appear:

Found installer for: [EXs name] Space required: [nnn] MB SSD1: [disk name] [nnn] GB available

10. Press Install to continue with the installation,

or

press Cancel to stop without installing.

An “are you sure?” message will appear to confirm the installation.

11. Press OK to continue with the installation,

or

press Cancel to stop without installing.

The installation will then begin. This may take a while; a progress bar shows the installation as it proceeds.

Next, the newly installed files will be verified.

After the verification has completed successfully, the progress bar will disappear, and the installation is complete. The EXs sample data itself is installed on an invisible, protected part of the disk.

To use the EXs, you’ll load its associated files (.KSC, .PCG etc.); for the location of these files, see the documentation of the specific EXs.

USING THE NEWLY INSTALLED EXs [SOURCE: KORG]

Load the newly installed .PCG and .KSC files.

Make sure to back up any sounds before overwriting them in memory.

You may need to free up sample RAM, or use the “Clear” option when loading the .KSC.

You can also

- *load specific sounds from the .KSC,*
- *make your own sub-sets of its sounds, and*
- *automatically load the new samples at startup.*

For more information, see

- *Global “0–3: KSC Auto-Load” on page 762.*
- *Global “0–4: Sample Management” on page 765.*
- *Disk mode menu command “Load .PCG” on page 829.*
- *Disk mode menu command “Load .KSC” on page 838.*

AUTHORIZATION

If an authorization code is required, the EXs will work in demo mode, fading in and out, **until the authorization code is purchased and entered into the KORG KRONOS.**

For more information, see “Global P6: Options Info” on page 803.

ERROR MESSAGES

When installing, error messages may be displayed to indicate problems, as described below.

“Error: invalid option file” means that the installation data is corrupted. **Copy the zip archive file to the USB media again and start with the installation again,** or if that fails, **download the data again. It might also mean that you do not install from within a folder, e.g. “EXs39\”, “EXs45\”, “K2_EXs45\”, “EXs46\”, or “EXs47\”. Please always install from within the relevant folder.**

“Error: not enough disk space for the installation” means that the internal SSD is too full. Remove data from the SSD, backing it up to USB media, in order to free up space.

UNINSTALLING EXs

Optional EXs may be uninstalled to reclaim space on the internal disk(s).

For more information, see “Uninstall EXs” on page 814.

<i>Controller</i>	<i>Function</i>
SW1	Exciter On/Off
SW2	JS Y & Ribbon Lock
Kn5	Talking Modulator Intensity
Kn6	Decimator Intensity
Kn7	Phaser Intensity
Kn8	Reverb Intensity
VSJ X	Decimator Control
VSJ Y	Exciter Control
JS X	Pitch Bend
JS-Y	Ring Modulator Intensity
JS+Y	Talking Modulator Control
Ribbon	Delay Intensity
Aftertouch	Early Reflections Intensity

<i>Program Number</i>	<i>Program Name</i>	<i>Category</i>	<i>Subcategory</i>
U-G000	Outer Space Ambience 1	SFX	Natural
U-G001	Outer Space Ambience 2	SFX	Natural
U-G002	Outer Space Ambience 3	SFX	Natural

<i>No.</i>	<i>Name</i>
000	1st SPACE -L
001	1st SPACE -R
002	2nd SPACE -L
003	2nd SPACE -R
004	3rd SPACE -L
005	3rd SPACE -R

Multisample "1st SPACE		-L"
<i>Name</i>		
1st SPACE	001	-L
1st SPACE	002	-L
1st SPACE	003	-L
1st SPACE	004	-L
1st SPACE	005	-L
1st SPACE	006	-L
1st SPACE	007	-L
1st SPACE	008	-L
1st SPACE	009	-L
1st SPACE	010	-L
1st SPACE	011	-L
1st SPACE	012	-L
1st SPACE	013	-L
1st SPACE	014	-L
1st SPACE	015	-L
1st SPACE	016	-L
1st SPACE	017	-L
1st SPACE	018	-L
1st SPACE	019	-L
1st SPACE	020	-L
1st SPACE	021	-L
1st SPACE	022	-L
1st SPACE	023	-L
1st SPACE	024	-L
1st SPACE	025	-L
1st SPACE	026	-L

Multisample "1st SPACE		-R"
<i>Name</i>		
1st SPACE	001	-R
1st SPACE	002	-R
1st SPACE	003	-R
1st SPACE	004	-R
1st SPACE	005	-R
1st SPACE	006	-R
1st SPACE	007	-R
1st SPACE	008	-R
1st SPACE	009	-R
1st SPACE	010	-R
1st SPACE	011	-R
1st SPACE	012	-R
1st SPACE	013	-R
1st SPACE	014	-R
1st SPACE	015	-R
1st SPACE	016	-R
1st SPACE	017	-R
1st SPACE	018	-R
1st SPACE	019	-R
1st SPACE	020	-R
1st SPACE	021	-R
1st SPACE	022	-R
1st SPACE	023	-R
1st SPACE	024	-R
1st SPACE	025	-R
1st SPACE	026	-R

Multisample "2nd SPACE		-L"
<i>Name</i>		
2nd SPACE	001	-L
2nd SPACE	002	-L
2nd SPACE	003	-L
2nd SPACE	004	-L
2nd SPACE	005	-L
2nd SPACE	006	-L
2nd SPACE	007	-L
2nd SPACE	008	-L
2nd SPACE	009	-L
2nd SPACE	010	-L
2nd SPACE	011	-L

Multisample "2nd SPACE		-R"
<i>Name</i>		
2nd SPACE	001	-R
2nd SPACE	002	-R
2nd SPACE	003	-R
2nd SPACE	004	-R
2nd SPACE	005	-R
2nd SPACE	006	-R
2nd SPACE	007	-R
2nd SPACE	008	-R
2nd SPACE	009	-R
2nd SPACE	010	-R
2nd SPACE	011	-R

Multisample "3rd SPACE		-L"
<i>Name</i>		
3rd SPACE	001	-L
3rd SPACE	002	-L
3rd SPACE	003	-L
3rd SPACE	004	-L

Multisample "3rd SPACE		-R"
<i>Name</i>		
3rd SPACE	001	-R
3rd SPACE	002	-R
3rd SPACE	003	-R
3rd SPACE	004	-R